

**Amendments to the Claims:**

Claim 8 is currently amended. Claims 1 – 7 and 9 – 19 are original. No new matter is introduced by these amendments. Consideration of all amendments is respectfully requested.

**Listing of Claims:**

5

Claim 1 (original): A real-time remote backup system used in a network system connecting at least one source computer system and one destination computer system, each computer system consisting of a kernel space and a user space, and the backup system comprising:

10

a loadable kernel module that pre-sets up at least a specific system call within the kernel space of the source computer system, receiving a notification generated from the pre-set system call to generate a corresponding file modification message when while a file modification event occurs in the user space of the source computer system;

15

a scheduling module queuing each said file modification message from the loadable kernel module, and then generating a corresponding backup command in response to the each file modification message; and

20

at least one network backup unit installed in the source computer system, in accordance to a file information provided within the backup command, backing-up the variant part of the file through the network system to the destination computer system when receiving each backup command transmitted from the scheduling module.

25

Claim 2 (original): The backup system of claim 1 wherein the loadable kernel module further comprises a replacement unit for replacing an original system call in the source computer system to the specific system call.

Claim 3 (original): The backup system of claim 2, further including a graphical user interface (GUI) having an automatic network backup switch for providing the user to switch on/off an automatic network backup function, so that the replacement unit of the loadable kernel module will replace back to the original system call when the automatic network backup function is switched off.

Claim 4 (original): The backup system of claim 1 wherein the loadable kernel module further comprises:  
a call determining unit determining whether the specific system call is one of a plurality of predetermined system calls; and  
a message processing unit generating the file modification message to the scheduling module, according to determination of the call determining unit that the specific system call is one of a plurality of predetermined system calls.

Claim 5 (original): The backup system of claim 1 wherein the file modification message comprises at least a filename and path of the modified file.

Claim 6 (original): The backup system of claim 1, wherein the scheduling module further comprises a queue unit for accommodating the file modification messages in sequence from the loadable kernel module.

Claim 7 (original): The backup system of claim 6, wherein the scheduling module further comprises a schedule managing unit for queuing sequentially each said message into the queue unit, and a schedule processing unit for sequentially reading the messages out the queue unit and transmitting the backup commands according to the messages.

Claim 8 (currently amended): The backup system of claim 7 wherein the schedule  
managing unit and the schedule processing unit use ~~[[the]]~~ a same algorithm.

5 Claim 9 (original): The backup system of claim 8 wherein the algorithm used by both the  
schedule managing unit and the schedule processing unit is in coordination with  
an algorithm used by the network backup unit to prevent data from losing during  
the transmission process of said message and command.

10 Claim 10 (original): The backup system of claim 9 wherein the schedule managing unit  
and the schedule processing unit respectfully have at least one specific thread for  
defining an adjustable optimized time interval.

15 Claim 11 (original): The backup system of claim 1 wherein the backup command  
comprises at least the path of the varied file.

Claim 12 (original): The backup system of claim 1 wherein the destination computer  
system further comprises another one same network backup unit for receiving  
backup data from the source computer system.

20 Claim 13 (original): A real-time remote backup system installed in a source computer  
system connected to a destination computer system through a network system,  
each computer system comprising at least one kernel space for a kernel and a  
user space for a network backup unit, and the backup system comprising:  
a loadable kernel module that pre-sets up at least one specific system call in the  
25 kernel space of the source computer system, determining generation of a  
corresponding file modification message, according to the type of the  
system call, to notify the kernel when a file modification event occurs in the  
user space of the source computer system; and

a scheduling module sequentially queuing and processing each said file  
modification message transmitted from the loadable kernel module to  
generate a corresponding backup command to facilitate that the network  
backup unit of the source computer system backs-up the modified file to the  
5 destination computer system through the network system.

Claim 14 (original): The backup system of claim 13, wherein the file modification  
message comprises at least a filename and a path of the modified file.

10 Claim 15 (original): The backup system of claim 13, wherein the backup command  
comprises at least a path of the modified file.

Claim 16 (original): A method of real-time remote backup used in a network system  
interconnecting between at least one source computer system and one destination  
15 computer system, each computer system consisting of a kernel space and a user  
space, and the method comprising:  
implementing a specific system call that is pre-loaded by a loadable kernel  
module in the kernel space of the source computer system, to notify a kernel  
of the source computer system of a file modification event when the file  
20 modification event occurs in the user space of the source computer system;  
the loadable kernel module being notified of said file modification event to  
determine whether a file modification message should be generated with  
reference to the type of the specific system call, as soon as the specific  
system call is implemented;  
25 queuing in sequence each said file modification message into a queue unit;  
sequentially taking and processing the file modification messages from the queue  
unit to generate a corresponding backup command; and  
a network backup unit backing-up the modified part of the file to the destination

computer system, through the network, according to the backup command.

Claim 17 (original): The method of claim 16, wherein the file modification message comprises at least a filename and a path of the modified file.

5

Claim 18 (original): The method of claim 16, wherein the backup command comprises at least a path of the modified file.

Claim 19 (original): The method of claim 16, wherein the loadable kernel module generates the file modification message or terminates the process if determining the system call is one of predetermined system calls.

10